

Dopamine ELISA kit – Fast Plasma & Urine samples

Ref: BA-E-6300

This Dopamine ELISA kit is tailored for the rapid measurement of Dopamine (DA) in urine and plasma samples. Intended for *in vitro* diagnostics and research use, this fast-track quantitative immunoassay enables to determine dopamine levels in up to 40 samples within 4 hours.

| Sample type | 10μl urine, 300μl plasma |
|-------------|--|
| Samples/kit | 40 samples in duplicate |
| Sensitivity | 4.5ng/ml urine, 25pg/ml plasma |
| Range | 4.5 - 2 000ng/ml |
| Assay time | Sample extraction and acylation (65 min), ELISA (3h) |
| Reactivity | Reacts with all species |
| Citations | Cited in 7 papers |

www.immusmol.com Page 1



INFORMATIONS

| Product overview | |
|------------------|--|
| Product name | Dopamine ELISA kit – Urine/Plasma – Fast-Track |
| Description | In vitro diagnostics & Research enzyme immunoassay (ELISA) for the rapid determination of Dopamine levels in plasma and urine samples |
| Labels | IVD (EU Only) or RUO, CE |
| Format | 96-well plate |
| Samples | 10μl urine, 300μl plasma |
| Reactivity | Reacts with all species |
| Standard range | 0 / 4.5 – 2 000ng/ml |
| Sensitivity | 4.5ng/ml urine, 25pg/ml plasma |
| Specificity | No significant cross-reactivity was observed with Dopamine analogs such as Adrenaline, Noradrenaline, Metanephrine, Normetanephrine, Methoxytyramine, 3-Methoxy-4-hydroxyphenylglycol, Tyramine, Phenylalanine, Caffeinic acid, L-Dopa, Homovanillic acid, Tyrosine and 3-Methoxy-4-hydroxymandelic acid |
| Assay time | 4 hours |
| Storage | Store at 2-8°C for up to 6 months |
| Datasheets | Instructions for use, Material safety datasheet |

www.immusmol.com Page 2



PROTOCOLS

| Sample collection & storage | <u>Plasma:</u> EDTA-Plasma samples only. Do not use haemolytic or lipemic samples. Storage: up to 6 hours at 2 – 8°C; for longer periods (up to 6 months) at – 20°C <u>Urine:</u> Spontaneous or 24-hours urine, collected in a bottle containing 10-15 mL of 6 M HCl. Storage: for longer periods (up to 6 months) at -20°C |
|-----------------------------|--|
| Sample preparation | Sample preparation, extraction and acylation (65min) |
| ELISA | Dopamine antiserum incubation (2H), revelation and read steps (1h) |
| Detailed protocol | Download instructions for use |

REFERENCES

Product citations

Product pictures



Dopamine ELISA kit

www.immusmol.com Page 3





Dopamine ELISA kit



Dopamine ELISA kit

Contact information

Immusmol 229 Cours de l'Argonne 33 000 Bordeaux - France Tel: +33 (0) 5 6431 1170 www.immusmol.com

To order, review, ask for technical support, visit product page at:

https://www.immusmol.com/shop/dopamine-elisa-kit-urine-plasma-samples/

www.immusmol.com Page 4