immusmol

L-Phenylalanine Antibody – Rabbit Polyclonal

Ref: IS1038

The anti-L-Phenylalanine antibody IS1038 is a rabbit polyclonal antibody developed to be highly affine and specific. Combined with the <u>STAINperfect immunostaining kit A</u>, this antibody was validated for IF in mouse brain tissues.

Clonality	Polyclonal antibody
Host	Rabbit
Reactivity	Reacts with all species
Tested samples	Whole mounts, tissue sections & ELISA
Staining procedure	STAINperfect immunostaining kit A
Format	50μL (approx. 40 tissue sections)

immusmol

INFORMATIONS

Product overview


Product name	L-Phenylalanine antibody
Synonyms	Anti-L-Phenylalanine polyclonal antibody (<i>S</i>)-2-Amino-3-phenyl propionic acid polyclonal antibody
Immunogen	Conjugated L-Phenylalanine
Specificity	When tested in competitive ELISA, the anti-conjugated L- Phenylalanine antibody do not show significant cross-reactivity with several competitors including L-Tyrosine and L-DOPA conjugates
Storage	
Form	Liquid
Purity	Purified anti-serum
Storage buffer	Store at +4°C for short term (1-2 months). Aliquot and store at -20°C for long term. Avoid repeated freeze / thaw cycles
Material safety datasheet	Download MSDS

immusmol

PROTOCOLS

IF - Cell cultures, Whole mounts, Tissue sections	Dilute antibody with the antibody diluent provided in the STAINperfect immunostaining kit A. Use at 1/250 -1/1000 dilution. Follow the STAINperfect protocol suited to your sample
Comments	Optimal working dilutions must be determined by the end-user
Restrictions	For research use only
Full protocol	Download STAINperfect protocol for L.Phenyl-Alanine staining

Protocols-at-a-glance



Complete Instructions for Use Protocol-at-a-glance for cell cultures Protocol-at-a-glance for whole mounts Protocol-at-a-glance for tissue sections


REFERENCES

Antibody not yet cited.

Product pictures


www.immusmol.com





Phenyl-L.Alanine imaging in mouse embryonic midbrain neurons (E13.5)

Using STAINperfect immunostaining kit A, Phenyl-L.Alanine (green) was detected within mouse embryonic midbrain neurons (E13.5) following the protocol optimized for whole mount samples. Stainings were performed using ImmuSmol rabbit anti-Phenyl-L.Alanine polyclonal Ab (IS1038). Fluorescent conjugated antibodies were used and images acquired by confocal imaging.



Affinity & specificity of anti-L-Phenylalanine antibody

Competitive ELISA demonstrates that low amounts of L-Phenyl-Alanine conjugate are required to abolish antigen-antibody reaction (high affinity), while rising concentrations of L-Phenyl-Alanine competitors L-Tyrosine or L-DOPA do not affect reaction (high specificity).

Contact information

Immusmol 229 Cours de l'Argonne 33 000 Bordeaux - France Tel: +33 (0) 5 6431 1170 www.immusmol.com

To order, review, ask for technical support, visit product page at:

https://www.immusmol.com/shop/l-phenyl-alanine-rabbit-pab/