

# Private: 3 Catecholamines ELISA kit – Research Plasma & Urine samples – Former

Ref: BA-E-6600R-F

This Catecholamine ELISA kit is tailored for the rapid measurement of Adrenaline (Epinephrine), Noradrenaline (Norepinephrine) and Dopamine in urine and plasma samples. Intended for research use only, this fast-track quantitative immunoassay enables to determine catecholamine levels in up to 40 samples within 4 hours.

Sample type	10µl urine, 300µl plasma
Samples/kit	40 samples in duplicate
Sensitivity	Epinephrine: 0.3ng/ml urine, 10pg/ml plasma Norepinephrine: 1.5ng/ml urine, 40pg/ml plasma Dopamine: 4.5ng/ml urine, 25pg/ml plasma
Range	Epinephrine: 1 - 200ng/ml Norepinephrine: 5 - 1 000ng/ml Dopamine: 4.5 - 2 000ng/ml
Assay time	Sample extraction and acylation (65 min), ELISA (3h)
Reactivity	Reacts with all species
Citations	<u>2</u>

www.immusmol.com Page 1



#### **INFORMATIONS**

Product overview	
Product name	3 catecholamines ELISA kit - Urine/Plasma - Fast-Track
Description	Competitive ELISA kit for the quantitative measurement of Adrenaline, Noradrenaline and Dopamine levels in plasma and urine samples. <b>For research use only</b>
Labels	RUO
Format	3×96-well plate
Samples	Urine, Plasma
Sample volume	10μl urine, 300μl plasma
Reactivity	Reacts with all species
Standard range	Epinephrine: 0 / 1 - 200ng/ml Norepinephrine: 0 / 5 - 1 000ng/ml Dopamine: 0 / 4.5 - 2 000ng/ml
Sensitivity	Epinephrine: 0.3ng/ml urine, 10pg/ml plasma Norepinephrine: 1.5ng/ml urine, 40pg/ml plasma Dopamine: 4.5ng/ml urine, 25pg/ml plasma
Specificity	No significant cross-reactivity was observed with Dopamine, Epinephrine and Norepinephrine analogs such as Dopamine, Metanephrine, Normetanephrine, 3-Methoxytyramine, 3-Methoxy-4-hydroxyphenylglycol, Tyramine, Phenylalanine, Caffeinic acid, L-Dopa, Homovanillic acid, Tyrosine and 3-Methoxy-4-hydroxymandelic acid
Assay time	4 hours
Storage	Store at 2-8°C for to 6 months
Datasheets	Instructions for use, Material safety datasheet

www.immusmol.com Page 2



The kit for in-vitro-diagnostic (IVD) use can be ordered with the catalog no. **BA E-6600**.

#### **PROTOCOLS**

Sample collection & storage	Plasma: EDTA-Plasma samples only. Do not use haemolytic or lipemic
	samples. Storage: up to 6 hours at 2 - 8°C; for longer periods (up to 6 months) at - 20°C
	Urine: Spontaneous or 24-hours urine, collected in a bottle containing 10-
	15mL of 6M HCl. Storage: for longer periods (up to 6 months) at -20°C
Sample preparation	Sample preparation, extraction and acylation (65min)
ELISA	Dopamine, Epinephrine, Norepinephrine antisera incubation (2H), revelation and read steps (1h)
Detailed protocol	Download instructions for use

### **REFERENCES**

**Product citation** 


## **Product pictures**



Plasma/Urine catecholamines ELISA kit: Dopamine, Adrenaline, Noradrenaline

www.immusmol.com Page 3





#### Plasma catecholamines ELISA: Standard curves

Standard curves - to be generated every time the assay is performed.

#### Contact information

Immusmol 229 Cours de l'Argonne 33 000 Bordeaux - France Tel: +33 (0) 5 6431 1170

www.immusmol.com

## To order, review, ask for technical support, visit product page at:

https://www.immusmol.com/?post\_type=product&p=878

www.immusmol.com Page 4