

AA-E-1000

## Androstenedione ELISA kit - Serum & Plasma

This Androstenedione ELISA kit enables the quantitative measurement of steroid hormone androstenedione in serum and plasma (EDTA) samples. Intended for *in vitro* diagnostics and research applications, the test comes in 96-well plate format, allowing the screening of large experimental series within short lead times.



<b>Sample type</b>	Serum, EDTA plasma
<b>Capacity</b>	96-well plate
<b>Sensitivity</b>	0,02 ng/mL
<b>Range</b>	0.1 – 10 ng/mL
<b>Assay time</b>	90 min
<b>Reactivity</b>	Any species
<b>Application</b>	Research use or in vitro diagnostics ( <b>IVD in EU only</b> )
<b>Storage</b>	Store at 2-8°C for to 6 months
<b>Sample collection &amp; storage</b>	Plasma/Serum: EDTA-, Heparin- or Citrate- samples stored at 2-8°C for up to 48h or -20°C for longer period (up to 6 months). Do not use haemolytic or lipemic samples.
<b>Sample preparation</b>	Enzymatic conjugation (60 min)
<b>ELISA</b>	Incubation, revelation and read steps (30 min)

To see data, publications, and download instructions for use and MSDS, visit:  
<https://www.immusmol.com/product/androstenedione-elisa-kit-fast/>