

IS1012

Kynurenine Antibody (L) - Rabbit Polyclonal

The rabbit polyclonal anti-L-kynurenine antibody IS1012 was validated for immunohistochemistry (IHC) on formalin-fixed, paraffin-embedded (FFPE) human tumor tissues at a 1:500 dilution. Recently, this antibody was successfully used in two studies to stain macaque immune cells and human FFPE lung tissues for L-kynurenine.

[Cited in 2 papers](#)



Clonality	Polyclonal antibody
Host	Rabbit
Reactivity	Reacts with all species
Tested samples	Human FFPE brain and lung tissues
Staining procedure	Perform heat antigen retrieval (pH=6) before standard IHC/IF staining
Format	50µL
Storage	Store at +4°C for short term (1-2 months). Aliquot and store at -20°C for long term. Avoid repeated freeze / thaw cycles
Immunohistochemistry (IHC)	Dilute at 1:100-1:1000. Perform heat antigen retrieval (pH=6) before initiating IHC staining protocol on paraffin-embedded and frozen sections
Comments	Optimal working dilutions must be determined by the end-user
Restrictions	For research use only

To see data, publications, and download instructions for use and MSDS, visit:
<https://www.immusmol.com/product/kynurenine-antibody-l-rabbit-pab-ihc/>