

IS1025

L-Homoarginine Antibody - Rabbit Polyclonal

This rabbit polyclonal antibody recognizes L-Homoarginine at a 1/10 000 working dilution, while displaying no significant cross-reactivity with competitors such as Asymmetric DiMethyl Arginine (ADMA), Symetric DiMethyl Arginine (SDMA) and L-Arginine. Used with the [STAINperfect immunostaining kit A](#), this antibody could allow direct L-Homoarginine visualization in cell culture and tissue samples (IF or IHC).



Clonality	Polyclonal antibody
Host	Rabbit
Reactivity	Reacts with all species
Eligible samples	Cell cultures, whole mounts, tissue sections
Staining procedure	STAINperfect immunostaining kit A (protocols for cell cultures, whole mounts, tissue sections)
Format	50µL (approx. 40 tissue sections)
Storage	Store at +4°C for short term (1-2 months). Aliquot and store at -20°C for long term. Avoid repeated freeze / thaw cycles
Immunofluorescence (IF)	Dilute antibody with the antibody diluent provided in the STAINperfect immunostaining kit A . Use at 1/250 -1/1000 dilution. Follow the STAINperfect protocol suited to your sample (Cell cultures, Whole mounts, Tissue sections)
Comments	Optimal working dilutions must be determined by the end-user
Restrictions	For research use only

To see data, publications, and download instructions for use and MSDS, visit:
<https://www.immusmol.com/product/l-homoarginine-antibody-pab/>