

BA-E-8200

Plasma Normetanephrine ELISA kit

This Plasma Normetanephrine ELISA kit enables the fast measurement of free L-Normetanephrine in plasma samples. Intended for *in vitro* diagnostics (EU only) & research use, this quantitative immunoassay is based on a simple and fast sample preparation protocol, and offers a limit of detection below 18pg/ml.



Sample type	200µl plasma
Capacity	1x 96-well plate
Sensitivity	Normetanephrine: 17.9 pg/ml
Range	Normetanephrine: 0/72 – 7,200 pg/ml
Assay time	Sample preparation and acetylation (2h35 min), ELISA overnight
Reactivity	Reacts with all species
Application	Research use or IVD (EU only)
Storage	Store at 2-8°C for to 6 months
Sample collection & storage	EDTA- or Heparin-plasma sample only. Do not use haemolytic or lipemic samples. Storage: up to 6 hours at 2 – 8°C; for longer periods (up to 6 months) at - 20°C
Sample preparation	Extraction and acylation 2 hours 35 min
ELISA	Normetanephrine antisera incubation overnight, revelation & read steps (1h)

To see data, publications, and download instructions for use and MSDS, visit:
<https://www.immusmol.com/product/plasma-normetanephrine-elisa-kit/>